

Let's make an easy world by the touch of hand.

# Mission of Solution2Solution

"Providing the best solution for each and every system of any organization and ensure to reach your goal reducing time and saving money"

## Office:

House#4/6, Road#15, Sector#10, Uttara Model Town, Dhaka-1230 Call - 01743652352, 01830292556, 01682234164

E-mail: info @ solution 2 solution.com , Website-www.solution 2 solution.com


## **Sweater Design Grading Specification**



#### **SDGS** (Sweaters Design Grading Specification)

Bangladesh is a developing country. The garments industries have a big role in Bangladesh development. We are just here for supporting the garments industries to increase their production by our software. In garments section chart design is a complex job. Our software make chart designing easier and faster than anyone can imagine. It can generate your desire chart without any mistake and help to reduce your number of employee and save a big amount of money without disturbing your work flow. You can change your chart after grading within a click

DESIGNER:MD.ANWAR Serial 36	KNITTING	KNITTING SPECIFICATIONS	
	Buyer	SOLIVER	
Yarn Count :2/40	STYLE NO :14.509.61.6802	Body :(2X2)=4 DROP=2 1/8 "	
Ply :2 PLY	DESCRIPTION:	Rib hem :	
Gauge :14 GG	Arm hole wale :	Rib cuff :	
Material :60% VISCOSE 40% COTTON	Neck wale :	Neck Rib:	
			385 N



## **List of chart:**

#### For Men's:

- Set-in Sleeve
- Raglan Shape
- Saddle Shoulder
- Waist Shape
- A & V' Shape at Side Seam
- Doubling Bottom
- Bottom Round Shape
- Stripe

#### For Ladies:

- Fashion
- Waist Shape
- Saddle Shoulder
- Set-in Sleeve
- Raglan Shape
- Doubling Bottom
- Bottom Round Shape
- A & V' Shape at Side Seam
- Stripe

#### For Kids:

- Set-in Sleeve
- Raglan Shape
- Saddle Shoulder
- Waist Shape
- A & V' Shape at Side Seam
- Doubling Bottom
- Bottom Round Shape
- Stripe
- Crew Neck Shape

- Crew Neck Shape
- V' Neck Shape
- U' Neck Shape
- Y' Neck Shape
- Hood (2/3 part)
- Neck Grading
- Pocket (Patch/Chest)
- Adjust Sleeve/ Poncho Style
- Fashion
- Crew Neck Shape
- V' Neck Shape
- U' Neck Shape
- Y' Neck Shape
- Hood (2/3 part)
- Neck Grading
- Pocket (Patch/Chest)
- Adjust Sleeve/ Poncho Style
- V' Neck Shape
- U' Neck Shape
- Y' Neck Shape
- Hood (2/3 part)
- Neck Grading
- Pocket (Patch/Chest)
- Adjust Sleeve/ Poncho Style
- Fashion

### Sample:

DESIGNER:RANA Serial :164

> :2 PLY :12 GG

Neck wale

Yarn Count :2/32 Ply :2 PL

Gauge

## Solution 2 Solution

NITTING OF CONTOURS		Neck	
Buyer:NAME IT			
STYLE NO :13132440	Body :10 C/S = 1 6/8		
DESCRIPTION:LANA L/S CARD	Rib hem: 1X1 = 6 N = 1 4/8		
Arm hole wale :	Rib cuff:	1X1 =9C/S	


Neck Rib:1X1 = 6N = 1 3/8


166 N

1X1 =

TECHNICAL MANAGER:


Date: 26/05/2016	CONT RACT	SAMP LE
SIZE	164	
LENGTH	57	
CHEST	43	
WAIST POSITION		
WIST WIDTH		
ACROSS F/B		
SHULDER WIDTH	8	
BOTTOM WIDTH	40	
SLV-LENGTH	58.5	
ARM HOLE/RAGLAN	19	
BICEP	15.5	
CUFF OPENING	8.5	
CUFF HIGHT	1.5	
BOTTOM HIGHT	1.5	
NECK WIDTH	15	
FRONT NECK DROP	8	
BACK NECK DROP	1.5	
NECK HIGHT	1.5	
HOOD LENGTH		
HOOD WIDTH		
POCKET LENGTH		
POCKET WIDTH		
WEIGHT-GRAMS		
SHOULDER SLOPE		0





#### Solution 2 Solution KNITTING SPECIFICATIONS

			INCOL
Buyer:ONLY			
Yarn Count :2/32	STYLE NO :SLP	Body:	
Ply : 2 PLY	DESCRIPTION:	Rib hem :	
Gauge :7 GG	Arm hole wale :	Rib ouff :	
Material :100% COTTON	Neck wale :	Neck Rib:	N




# Solution 2 Solution KNITTING SPECIFICATIONS


#### DESIGNER:MD.SHAMIM Serial :XXL


TECHNICAL MANAGER: MD.MUSTAFIZUR RAHMAN Neck

Buyer:TOM TAILOR		104N 0103N 066N 067N	
Yarn Count :2/32	STYLE NO :30 22060.00.10	Body:JACQUARD=10N=1 4/8"IN	
Ply : 2 PLY	DESCRIPTION:	Rib hem :TUBE=10N=	OUT FINISHING
Gauge :12 GG	Arm hole wale :	Rib cuff:TUBE=10N=	TUBE=7C/S
Material :100% COTTON	Neck wale :	Neck Rib:1X1=	1X1=7 C/S
			242 N









#### Solution 2 Solution


DESIGNER:MD.SHAMIM Serial XL


KNITTING SPECIFICATIONS


TECHNICAL MANAGER: MD.MUSTAFIZUR RAHMAN Neck

Buyer:TT DANIM		112N 0111N 061N 062N	
Yarn Count :2/32	STYLE NO :30 22431.09.12	Body: JERSEY 8N=1 4.5/8*	
Ply :2 PLY	DESCRIPTION:	Rib hem :1X1=8 N=1 5/8"	12 GG 2 PLY
Gauge :12 GG	Arm hole wale :	Rib cuff :1X1=8 N=1 5/8"	1X1=12C/S
Material :100% COTTON	Neck wale :	Neck Rib:1X1=7N=1 6/8"	1X1=1/2 C/S ROUND
			349 N

Date: 23/08/2016	CONTRA CT	SAM PLE
SIZE	XL	
LENGTH	77	
CHEST	56	
WAIST POSITION		
WIST WIDTH		
ACROSS F/B		
SHULDER WIDTH	47.5	
BOTTOM WIDTH	48	
SLV-LENGTH	69	
ARM HOLE/RAGLAN	24	
BICEP	18.6	
CUFF OPENING	10.5	
CUFF HIGHT	2	
BOTTOM HIGHT	2	
NECK WIDTH	19	
FRONT NECK DROP	10.5	
BACK NECK DROP	2	
NECK HIGHT	1	
HOOD LENGTH		
HOOD WIDTH		
POCKET LENGTH		
POCKET WIDTH		
WEIGHT-GRAMS		
SHOULDER SLOPE		0







All = 107 N

## Solution 2 Solution


KNITTING SPECIFICATIONS


TECHNICAL MANAGER: MD.MUSTAFIZUR RAHMAN Neck


#### DESIGNER:MD.ANWAR Serial :46

Buyer:SOLIVER			
Yarn Count :1/4.8 NM	STYLE NO :14.611.64.5938	Body: JERSEY 5 C/S=2 0/8"	
Ply :1 PLY	DESCRIPTION:	Rib hem :1X1=4 N=1 7/8"	
Gauge :5 GG	Arm hole wale :	Rib cuff :1X1=4 N=1 7/8"	
Material :63%ACRYLIC 23%WOOL14% POLESTER	Neck wale :	Neck Rib:JERSEY 5 C/S=2 0/8"	

Date: 10/08/2016	CONT RACT	SAMP LE
SIZE	46	
LENGTH	64	
CHEST	58.5	
WAIST POSITION		
WIST WIDTH		
ACROSS F/B		
SHULDER WIDTH	39	
BOTTOM WIDTH	58.5	
SLV-LENGTH	62	
ARM HOLE/RAGLAN	21.5	
BICEP	17.4	
CUFF OPENING	11	
CUFF HIGHT	4	
BOTTOM HIGHT	4	
NECK WIDTH	22	
FRONT NECK DROP	10	
BACK NECK DROP	3	
NECK HIGHT		
HOOD LENGTH	35	
HOOD WIDTH	28	
POCKET LENGTH		
POCKET WIDTH		
PLAKET WIDTH	2	
WEIGHT-GRAMS		
SHOULDER SLOPE		0







#### Solution 2 Solution

DESIGNER:MD.AMIR
Serial 140


KNITTING SPECIFICATIONS


TECHNICAL MANAGER: MD.MUSTAFIZUR Neck


Buyer:S,OLIVER			
Yarn Count :2/20	STYLE NO :30.621.61.7914	Body :JERSEY=5C/S=1-2/8	
Ply :3PLY	DESCRIPTION:	Rib hem :1X1=6N=1-4/8	JERSEY=1/2C/S
Gauge :7G/12G	Arm hole wale :	Rib cuff :1X1=4N=1-2/8	1X16C/S
Material :100%COTTON	Neck wale :	Neck Rib:	FULLROUND.C/S

219 N

Date: 25-08-2016	CONT	SAMP LE
SIZE	140	
LENGTH	51.5	
CHEST	38	
WAIST POSITION		
WIST WIDTH		
ACROSS F/B		
SHULDER WIDTH		
BOTTOM WIDTH	35	
SLV-LENGTH	63.5	
ARM HOLE/RAGLAN	19.9	
BICEP	13	
CUFF OPENING	7.5	
CUFF HIGHT	2	
BOTTOM HIGHT	2	
NECK WIDTH	17	
FRONT NECK DROP	7	
BACK NECK DROP	1.5	
NECK HIGHT	1.2	
HOOD LENGTH		
HOOD WIDTH		
POCKET LENGTH	6.5	7
POCKET WIDTH	6	6.5
WEIGHT-GRAMS		
SHOULDER SLOPE		0








# Solution 2 Solution KNITTING SPECIFICATIONS

Buyer:ZARA1			
Yarn Count :2/32	STYLE NO :17-259	Body:	
Ply 2 PLY	DESCRIPTION:	Rib hem :	
Gauge :12 GG	Arm hole wale :	Rib ouff :	
Material :40%VIS 60% POLYSTER	Neck wale :	Neck Rib:	





TECHNICAL MANAGER: DESIGNER:MD.RAHAN Serial :1 KNITTING SPECIFICATIONS MD.MUSTAFIZUR RAHMAN Neck 85N 074N 074N 085N Buyer:PRIMARK Body :10C/S-1 5/6" MILANO-9N-1 5/8" Yam Count :2/32 STYLE NO :9070581 DESCRIPTION Rib hem :2X2= 5 DROP=1 4/8\*OUT Ply 2 PLY FINISHING :12 GG Gauge Arm hole wale Rib cuff :2X2= 5 DROP=1 4/8\*OUT 1X1=43C/S Material: 100% COTTON Neck wale Neck Rib:1X1=6N=1 4/8" 1X1=1/2 ROUND C/S 321 N


Solution 2 Solution


Date: 07/08/2016	CONTRA	SAM PLE		
SIZE	M			
LENGTH	70			
CHEST	52		5 +102+18	5 + 126 + 52
WAIST POSITION			125 Back	183 Front
WIST WIDTH			75 N 110N	75 N 62 N 0 62 N 18 c/s 1 NH Sleeve
ACROSS F/B			10 c/s	18 c/s 1 NHO C/S 10 c/c 0 NH Steeve
SHULDER WIDTH	42.5			
BOTTOM WIDTH	44		1	
SLV-LENGTH:	66		1	3 - 1 / 9 1K 2 - 1/= 5 1K 256 FINSHING
ARM HOLE/RAGLAN	24		/	/ /= /= 10 /
BIČEP	18		/ 065 No	1 - 1 = 5 1K 1 C/S
CUFF OPENING	9		1 N o 8 c/s	
CUFF HIGHT	6		260 N	221N
вОТТОМ НІGHT	6		102 c/s	126c/s 90 c/s 3 - 3 = 13 7K
NECK WIDTH	18.5		71 c/s	50 03
FRONT NECK DROP	8		3 - 2 = 1	K 3 - 2 = 6 1K
BACK NECK DROP	2.5		3 - 2 = 1 3 - 3 = 6 2 - 3 = 6	K 2 - 2 = 6 1K
NECK HIGHT	4		2 - 3 = 6	K K 1 - 2 = 6 1K 1 - 2 = 7 1K
HOOD LENGTH			236 N	0 C/S
HOOD WIDTH			336 N 5 c/s	297N 5 c/s 14 c/s
POCKET LENGTH	14		316 N	283 N /
POCKET WIDTH	11.5		3 + 1 = 5	/ 2 + 1 = 2 /
P.POSITION			3 + 1 = 5 $1 + 1 = 3$	/ 1 1 1 - 3 / 1 4 +1 =43
P.POSITION			2 + 1 = 2	2 + 1 = 2 4 c/s
WEIGHT-GRAMS				24 N 293 N 24 N
SHOULDER SLOPE		0	332 N JERSEY	24 N 293 N 24 N DOUBLING DUBLING JERSEY

OCHAI 700KE			Neck
Yarn Count :1/2.2 NM	STYLE NO :3021970.00.70	Body :JER = 4C/S = 2" 1/8	
Ply :1 PLY	DESCRIPTION:LONG SLEEVE, FASHION V NECK	Rib hem :JER = 4C/S = 2" 4/8	
Gauge :5 GG	Arm hole wale :	Rib cuff :JER = 4C/S = 2" 4/8	
Material :36%AC 36%VIS 24%NY4%ESP	Neck wale :	Neck Rib:M-STICH=4N = 2" 3 5/8	










DESIGNER:MD.ANWAR Serial :44-2	TECHNICAL MANAGER: MD.MUSTAK Neck		
Yarn Count :2/40	STYLE NO :14.509.61.6802	Body :(2X2)=4 DROP=2 1/8 "	
Ply :2 PLY	DESCRIPTION:	Rib hem :	
Gauge :14 GG	Arm hole wale :	Rib cuff:	
Material:60% VISCOSE 40% COTTON	Neck wale :	Neck Rib:	



# Above charts are capable to be graded by this software as measurements spec.